

## TECHNICAL DATA

# Fluke AC285-FTP Alligator Clips and Adaptors



## Key features

- SureGrip™ AC285 has rubber overmolded surfaces for a firm reliable grip
- Multi-purpose tooth pattern grips anything from fine gauge wire to a 20 mm (0.75 in) nut
- Strong, nickel-plated steel jaws for a tight hold
- Conforms to safety standard IEC61010-031:2002 +A1:2008, CAT III 1000 V, CAT IV 600 V
- 10 A maximum, pollution degree 2, 2000 m altitude
- Operating temperature: -20 °C to 55 °C (-4 °F to 131 °F), 95% RH
- One-year warranty

## Product overview: Fluke AC285-FTP Alligator Clips and Adaptors

AC285-FTP includes model AC285, a pair of red and black extra large alligator clips plus adaptors to securely attach the AC285 alligator clips to Fluke fused test probes FTP-1, FTPL-1, FTP and FTPL.

## Ordering information



### **AC285**

AC285 SureGrip™ Alligator Clips

---

**Fluke.** *Keeping your world up and running.®*

**Fluke Corporation**  
PO Box 9090, Everett, WA 98206 U.S.A.

**For more information call:**  
In the U.S.A. (800) 443-5853  
In Canada (800) 36-FLUKE  
From other countries +1 (425) 446-5500  
[www.fluke.com](http://www.fluke.com)

©2025 Fluke Corporation.  
Specifications subject to change without notice.  
10/2025

**Modification of this document is not permitted  
without written permission from Fluke  
Corporation.**