

TC12 1200/5A

TC12 1200/5A, Current transformers narrow section

Code: M70382.

> System:	Single-phase
-----------	--------------

- > Class 0,5 Power (VA): 10
- > Class 1 Power (VA): 15
- > Class 3 Power (VA): 20
- > Measurement Range (A): 1200/5
- > Input current: 1200 A

Specifications

Electrical characteristics	
Safety factor (SF)	FS 5
Power	15 VA (Class 1)
Mechanical characteristics	
Size (mm) width x height x depth	129 x 155 x 78 (mm)
Envelope	Plastic wrap VO self-extinguishing, UL 94
Weight (kg)	0,78
Environmental characteristics	
Thermal Class	Class B (+130 °C)
Protection class	IP 20
Relative humidity (without condensation)	15 95 %
Specific technical characteristics of current sensors	
Operating voltage	0,72 kV~ max.
Current measurement circuit	
Nominal frequency	50 / 60 Hz
Primary current measurement	1200 A
Dynamic current (Idyn)	2,5 lth
Thermal short-circuit current (Ith)	60 In
Transformation ratio	/ 5 A
Standards	
Standards	IEC 61869-1, IEC 61869-2, BS2627

Dimensions

Circutor


Circutor




TC12 1200/5A

Current transformers narrow section

Code: M70382.





Circutor