

STAINLESS STEEL WALLMOUNT HINGED WITH NEMA CLAMPS TYPE 4X



For use in indoor and outdoor corrosive environments that require a water-tight seal, this enclosure's seamless foam-in-place gasket and screw-down clamps provide a secure seal against contaminants.

FEATURES & BENEFITS

- Seams continuously welded and ground smooth
- Seamless foam-in-place gasket
- Rolled lip around three sides of door
- Stainless steel door clamp assembly
- Hasp and staple for padlocking
- Door removed by pulling stainless steel continuous hinge pin
- Data pocket is high-impact thermoplastic
- Collar studs provided for mounting optional panels
- Exterior hardware on Type 316L stainless steel enclosures matches enclosure material
- Bonding provision on door; grounding stud on body

SPECIFICATIONS

- Protection Rating** NEMA Type 12; NEMA Type 13; NEMA Type 4; NEMA Type 4X; IP66
- Finish** Brushed #4
- Material** Stainless Steel 304
- Color** Unpainted
- Thickness** 1.98 mm

Table 1/2

Catalog Number	Height	Width	Depth	Panel Size	Steel Panel	Stainless Steel Type
----------------	--------	-------	-------	------------	-------------	----------------------

A16H1206SSLP	406 mm	305 mm	152 mm	330 x 229 mm	A16P12	304
A16H1208SSLP	406 mm	305 mm	203 mm	330 x 229 mm	A16P12	304
A16H1606SSLP	406 mm	406 mm	152 mm	330 x 330 mm	A16P16	304
A16H2006SSLP	406 mm	508 mm	152 mm	432 x 330 mm	A20P16	304
A20H1610SSLP	508 mm	406 mm	254 mm	432 x 330 mm	A20P16	304
A20H1606SSLP	508 mm	406 mm	152 mm	432 x 330 mm	A20P16	304
A20H1608SSLP	508 mm	406 mm	203 mm	432 x 330 mm	A20P16	304
A20H2006SSLP	508 mm	508 mm	152 mm	432 x 432 mm	A20P20	304
A20H2008SSLP	508 mm	508 mm	203 mm	432 x 432 mm	A20P20	304
A20H2408SSLP	508 mm	610 mm	203 mm	533 x 432 mm	A24P20	304
A24H1608SSLP	610 mm	406 mm	203 mm	533 x 330 mm	A24P16	304
A24H2010SSLP	610 mm	508 mm	254 mm	533 x 432 mm	A24P20	304
A24H2006SSLP	610 mm	508 mm	152 mm	533 x 432 mm	A24P20	304
A24H2008SSLP	610 mm	508 mm	203 mm	533 x 432 mm	A24P20	304
A24H2412SSLP	610 mm	610 mm	305 mm	533 x 533 mm	A24P24	304
A24H2406SSLP	610 mm	610 mm	152 mm	533 x 533 mm	A24P24	304
A24H2408SSLP	610 mm	610 mm	203 mm	533 x 533 mm	A24P24	304
A24H3008SSLP	610 mm	762 mm	203 mm	686 x 533 mm	A30P24	304
A30H2008SSLP	762 mm	508 mm	203 mm	686 x 432 mm	A30P20	304
A30H2410SSLP	762 mm	610 mm	254 mm	686 x 533 mm	A30P24	304
A30H2412SSLP	762 mm	610 mm	305 mm	686 x 533 mm	A30P24	304
A30H2416SSLP	762 mm	610 mm	406 mm	686 x 533 mm	A30P24	304
A30H2408SSLP	762 mm	610 mm	203 mm	686 x 533 mm	A30P24	304
A30H3008SSLP	762 mm	762 mm	203 mm	686 x 686 mm	A30P30	304
A36H2410SSLP	914 mm	610 mm	254 mm	838 x 533 mm	A36P24	304
A36H2408SSLP	914 mm	610 mm	203 mm	838 x 533 mm	A36P24	304
A36H3010SSLP	914 mm	762 mm	254 mm	838 x 686 mm	A36P30	304
A36H3012SSLP	914 mm	762 mm	305 mm	838 x 686 mm	A36P30	304
A36H3016SSLP	914 mm	762 mm	406 mm	838 x 686 mm	A36P30	304
A36H3008SSLP	914 mm	762 mm	203 mm	838 x 686 mm	A36P30	304
A36H3612SSLP	914 mm	914 mm	305 mm	838 x 838 mm	A36P36	304
A42H3010SSLP	1067 mm	762 mm	254 mm	991 x 686 mm	A42P30	304
A42H3608SSLP	1067 mm	914 mm	203 mm	991 x 838 mm	A42P36	304
A48H3610SSLP	1219 mm	914 mm	254 mm	1143 x 838 mm	A48P36	304

A48H3612SSLP	1219 mm	914 mm	305 mm	1143 x 838 mm	A48P36	304
A48H3616SSLP	1219 mm	914 mm	406 mm	1143 x 838 mm	A48P36	304
A48H3608SSLP	1219 mm	914 mm	203 mm	1143 x 838 mm	A48P36	304
A60H3612SSLP	1524 mm	914 mm	305 mm	1448 x 838 mm	A60P36	304
A60H3616SSLP	1524 mm	914 mm	406 mm	1448 x 838 mm	A60P36	304

Table 2/2

Catalog Number	Data Pocket	Conductive Steel Panel	Stainless Steel Panel	Clamp Quantity
A16H1206SSLP	Small	A16P12G	A16P12SS6	4
A16H1208SSLP	Small	A16P12G	A16P12SS6	4
A16H1606SSLP	Small	A16P16G	A16P16SS6	4
A16H2006SSLP	Small	A20P16G	A20P16SS6	4
A20H1610SSLP	Small	A20P16G	A20P16SS6	4
A20H1606SSLP	Small	A20P16G	A20P16SS6	4
A20H1608SSLP	Small	A20P16G	A20P16SS6	4
A20H2006SSLP	Small	A20P20G	A20P20SS6	4
A20H2008SSLP	Small	A20P20G	A20P20SS6	4
A20H2408SSLP	Small	A24P20G	A24P20SS6	4
A24H1608SSLP	Small	A24P16G	A24P16SS6	5
A24H2010SSLP	Small	A24P20G	A24P20SS6	5
A24H2006SSLP	Small	A24P20G	A24P20SS6	5
A24H2008SSLP	Small	A24P20G	A24P20SS6	5
A24H2412SSLP	Small	A24P24G	A24P24SS6	5
A24H2406SSLP	Small	A24P24G	A24P24SS6	5
A24H2408SSLP	Small	A24P24G	A24P24SS6	5
A24H3008SSLP	Small	A30P24G	A30P24SS6	7
A30H2008SSLP	Small	A30P20G	A30P20SS6	5
A30H2410SSLP	Large	A30P24G	A30P24SS6	5
A30H2412SSLP	Large	A30P24G	A30P24SS6	5
A30H2416SSLP	Large	A30P24G	A30P24SS6	5
A30H2408SSLP	Large	A30P24G	A30P24SS6	5
A30H3008SSLP	Large	A30P30G	A30P30SS6	7
A36H2410SSLP	Large	A36P24G	A36P24SS6	5
A36H2408SSLP	Large	A36P24G	A36P24SS6	5
A36H3010SSLP	Large	A36P30G	A36P30SS6	7

Catalog Number	Data Pocket	Conductive Steel Panel	Stainless Steel Panel	Clamp Quantity
A36H3012SSLP	Large	A36P30G	A36P30SS6	7
A36H3016SSLP	Large	A36P30G	A36P30SS6	7
A36H3008SSLP	Large	A36P30G	A36P30SS6	7
A36H3612SSLP	Large	A36P36G	A36P36SS6	7
A42H3010SSLP	Large	A42P30G	A42P30SS6	8
A42H3608SSLP	Large	A42P36G	A42P36SS6	8
A48H3610SSLP	Large	A48P36G	A48P36SS6	8
A48H3612SSLP	Large	A48P36G	A48P36SS6	8
A48H3616SSLP	Large	A48P36G	A48P36SS6	8
A48H3608SSLP	Large	A48P36G	A48P36SS6	8
A60H3612SSLP	Large	A60P36G	A60P36SS6	9
A60H3616SSLP	Large	A60P36G	A60P36SS6	9

Protection Rating NEMA Type 12; NEMA Type 13; NEMA Type 4; NEMA Type 4X; IP66

Finish Brushed #4

Material Stainless Steel 304

Color Unpainted

Thickness 1.98 mm

Table 1/2

Catalog Number	Height	Width	Depth	Panel Size	Steel Panel	Stainless Steel Type
A16H1206SSLP	406 mm	305 mm	152 mm	330 x 229 mm	A16P12	304
A16H1208SSLP	406 mm	305 mm	203 mm	330 x 229 mm	A16P12	304
A16H1606SSLP	406 mm	406 mm	152 mm	330 x 330 mm	A16P16	304
A16H2006SSLP	406 mm	508 mm	152 mm	432 x 330 mm	A20P16	304
A20H1610SSLP	508 mm	406 mm	254 mm	432 x 330 mm	A20P16	304
A20H1606SSLP	508 mm	406 mm	152 mm	432 x 330 mm	A20P16	304
A20H1608SSLP	508 mm	406 mm	203 mm	432 x 330 mm	A20P16	304
A20H2006SSLP	508 mm	508 mm	152 mm	432 x 432 mm	A20P20	304
A20H2008SSLP	508 mm	508 mm	203 mm	432 x 432 mm	A20P20	304
A20H2408SSLP	508 mm	610 mm	203 mm	533 x 432 mm	A24P20	304
A24H1608SSLP	610 mm	406 mm	203 mm	533 x 330 mm	A24P16	304
A24H2010SSLP	610 mm	508 mm	254 mm	533 x 432 mm	A24P20	304

Catalog Number	Height	Width	Depth	Panel Size	Steel Panel	Stainless Steel Type
A24H2006SSLP	610 mm	508 mm	152 mm	533 x 432 mm	A24P20	304
A24H2008SSLP	610 mm	508 mm	203 mm	533 x 432 mm	A24P20	304
A24H2412SSLP	610 mm	610 mm	305 mm	533 x 533 mm	A24P24	304
A24H2406SSLP	610 mm	610 mm	152 mm	533 x 533 mm	A24P24	304
A24H2408SSLP	610 mm	610 mm	203 mm	533 x 533 mm	A24P24	304
A24H3008SSLP	610 mm	762 mm	203 mm	686 x 533 mm	A30P24	304
A30H2008SSLP	762 mm	508 mm	203 mm	686 x 432 mm	A30P20	304
A30H2410SSLP	762 mm	610 mm	254 mm	686 x 533 mm	A30P24	304
A30H2412SSLP	762 mm	610 mm	305 mm	686 x 533 mm	A30P24	304
A30H2416SSLP	762 mm	610 mm	406 mm	686 x 533 mm	A30P24	304
A30H2408SSLP	762 mm	610 mm	203 mm	686 x 533 mm	A30P24	304
A30H3008SSLP	762 mm	762 mm	203 mm	686 x 686 mm	A30P30	304
A36H2410SSLP	914 mm	610 mm	254 mm	838 x 533 mm	A36P24	304
A36H2408SSLP	914 mm	610 mm	203 mm	838 x 533 mm	A36P24	304
A36H3010SSLP	914 mm	762 mm	254 mm	838 x 686 mm	A36P30	304
A36H3012SSLP	914 mm	762 mm	305 mm	838 x 686 mm	A36P30	304
A36H3016SSLP	914 mm	762 mm	406 mm	838 x 686 mm	A36P30	304
A36H3008SSLP	914 mm	762 mm	203 mm	838 x 686 mm	A36P30	304
A36H3612SSLP	914 mm	914 mm	305 mm	838 x 838 mm	A36P36	304
A42H3010SSLP	1067 mm	762 mm	254 mm	991 x 686 mm	A42P30	304
A42H3608SSLP	1067 mm	914 mm	203 mm	991 x 838 mm	A42P36	304
A48H3610SSLP	1219 mm	914 mm	254 mm	1143 x 838 mm	A48P36	304
A48H3612SSLP	1219 mm	914 mm	305 mm	1143 x 838 mm	A48P36	304
A48H3616SSLP	1219 mm	914 mm	406 mm	1143 x 838 mm	A48P36	304
A48H3608SSLP	1219 mm	914 mm	203 mm	1143 x 838 mm	A48P36	304
A60H3612SSLP	1524 mm	914 mm	305 mm	1448 x 838 mm	A60P36	304
A60H3616SSLP	1524 mm	914 mm	406 mm	1448 x 838 mm	A60P36	304

Table 2/2

Catalog Number	Data Pocket	Conductive Steel Panel	Stainless Steel Panel	Clamp Quantity
A16H1206SSLP	Small	A16P12G	A16P12SS6	4
A16H1208SSLP	Small	A16P12G	A16P12SS6	4
A16H1606SSLP	Small	A16P16G	A16P16SS6	4
A16H2006SSLP	Small	A20P16G	A20P16SS6	4

Catalog Number	Data Pocket	Conductive Steel Panel	Stainless Steel Panel	Clamp Quantity
A20H1610SSLP	Small	A20P16G	A20P16SS6	4
A20H1606SSLP	Small	A20P16G	A20P16SS6	4
A20H1608SSLP	Small	A20P16G	A20P16SS6	4
A20H2006SSLP	Small	A20P20G	A20P20SS6	4
A20H2008SSLP	Small	A20P20G	A20P20SS6	4
A20H2408SSLP	Small	A24P20G	A24P20SS6	4
A24H1608SSLP	Small	A24P16G	A24P16SS6	5
A24H2010SSLP	Small	A24P20G	A24P20SS6	5
A24H2006SSLP	Small	A24P20G	A24P20SS6	5
A24H2008SSLP	Small	A24P20G	A24P20SS6	5
A24H2412SSLP	Small	A24P24G	A24P24SS6	5
A24H2406SSLP	Small	A24P24G	A24P24SS6	5
A24H2408SSLP	Small	A24P24G	A24P24SS6	5
A24H3008SSLP	Small	A30P24G	A30P24SS6	7
A30H2008SSLP	Small	A30P20G	A30P20SS6	5
A30H2410SSLP	Large	A30P24G	A30P24SS6	5
A30H2412SSLP	Large	A30P24G	A30P24SS6	5
A30H2416SSLP	Large	A30P24G	A30P24SS6	5
A30H2408SSLP	Large	A30P24G	A30P24SS6	5
A30H3008SSLP	Large	A30P30G	A30P30SS6	7
A36H2410SSLP	Large	A36P24G	A36P24SS6	5
A36H2408SSLP	Large	A36P24G	A36P24SS6	5
A36H3010SSLP	Large	A36P30G	A36P30SS6	7
A36H3012SSLP	Large	A36P30G	A36P30SS6	7
A36H3016SSLP	Large	A36P30G	A36P30SS6	7
A36H3008SSLP	Large	A36P30G	A36P30SS6	7
A36H3612SSLP	Large	A36P36G	A36P36SS6	7
A42H3010SSLP	Large	A42P30G	A42P30SS6	8
A42H3608SSLP	Large	A42P36G	A42P36SS6	8
A48H3610SSLP	Large	A48P36G	A48P36SS6	8
A48H3612SSLP	Large	A48P36G	A48P36SS6	8
A48H3616SSLP	Large	A48P36G	A48P36SS6	8
A48H3608SSLP	Large	A48P36G	A48P36SS6	8

Catalog Number	Data Pocket	Conductive Steel Panel	Stainless Steel Panel	Clamp Quantity
A60H3612SSLP	Large	A60P36G	A60P36SS6	9
A60H3616SSLP	Large	A60P36G	A60P36SS6	9

Purchase panels separately. Optional composite and aluminum panels are available for most sizes.

Reference the Specification Sheet for Popular Cooling Products and Popular Accessories.

2100 Hoffman Way
 Anoka, MN 55303-1745 | USA
 763.421.2240



Our powerful portfolio of brands:
 nVent.com **CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER**

© 2023 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.

nVent reserves the right to change specifications without notice.