

HINGE COVER WITH 3-POINT OR QUICK-RELEASE LATCH TYPE 4X



A full range of modification options are available for wall-mount fiberglass enclosures, including variable depths to accommodate larger controls. These enclosures feature padlockable polyester latches, or HOFFMAN's exclusive PowerGlide Handle with 3-point latching, for ease of access with increased security.

FEATURES & BENEFITS

Fiberglass-reinforced material has excellent temperature and chemical resistance qualities and exhibits outstanding physical properties

Type 316L stainless steel padlocking PowerGlide Handle on 3-point latch versions assures security and a water-tight seal while still allowing convenient access

Quick-release latch versions feature fiberglass-reinforced polyester latches with integral Type 316L stainless steel padlocking hasp

Seams are sealed; no holes or knockouts

Gasket assures water-tight and dust-tight seal

Fiberglass material is easily punched, drilled, filed or sawed

Data pocket is high-impact thermoplastic

Copper-flashed steel collar studs for mounting optional panels and terminal block kits

SPECIFICATIONS

Protection Rating NEMA Type 12; NEMA Type 13; NEMA Type 4; NEMA Type 4X; NEMA Type 3; IP66

Material Fiberglass

Finish Smooth Matte

Color Gray

Table 1/2

Catalog Number	Height	Width	Depth	Thickness	Latch Quantity	Panel
A20H2008GQRLP3PT	513 mm	514 mm	203 mm	3.6 mm		A20P20

Catalog Number	Height	Width	Depth	Thickness	Latch Quantity	Panel
A24H2412GQRLP3PT	614 mm	614 mm	305 mm	3.6 mm		A24P24
A24H2408GQRLP3PT	614 mm	614 mm	203 mm	3.6 mm		A24P24
A24H2010GQRLP3PT	616 mm	514 mm	254 mm	3.6 mm		A24P20
A24H2006GQRLP3PT	616 mm	514 mm	152 mm	3.6 mm		A24P20
A24H2008GQRLP3PT	616 mm	514 mm	203 mm	3.6 mm		A24P20
A30H2410GQRLP3PT	768 mm	616 mm	254 mm	3.6 mm		A30P24
A30H2412GQRLP3PT	768 mm	616 mm	305 mm	3.6 mm		A30P24
A30H2408GQRLP3PT	768 mm	616 mm	203 mm	3.6 mm		A30P24
A36H3012GQRLP3PT	921 mm	768 mm	305 mm	3.3 mm		A36P30
A36H3008GQRLP3PT	921 mm	768 mm	203 mm	3.3 mm		A36P30
A20H1610GQRLP	513 mm	413 mm	254 mm	3.6 mm	4	A20P16
A20H1612GQRLP	513 mm	413 mm	305 mm	3.6 mm	4	A20P16
A20H1620GQRLP	513 mm	413 mm	508 mm	3.6 mm	4	A20P16
A20H1606GQRLP	513 mm	413 mm	152 mm	3.6 mm	4	A20P16
A20H1608GQRLP	513 mm	413 mm	203 mm	3.6 mm	4	A20P16
A20H2010GQRLP	513 mm	514 mm	254 mm	3.6 mm	4	A20P20
A20H2012GQRLP	513 mm	514 mm	305 mm	3.6 mm	4	A20P20
A20H2020GQRLP	513 mm	514 mm	508 mm	3.6 mm	4	A20P20
A20H2006GQRLP	513 mm	514 mm	152 mm	3.6 mm	4	A20P20
A20H2008GQRLP	513 mm	514 mm	203 mm	3.6 mm	4	A20P20
A24H2412GQRLP	614 mm	614 mm	305 mm	3.6 mm	4	A24P24
A24H2416GQRLP	614 mm	614 mm	406 mm	3.6 mm	4	A24P24
A24H2420GQRLP	614 mm	614 mm	508 mm	3.6 mm	4	A24P24
A24H2424GQRLP	614 mm	614 mm	610 mm	3.6 mm	4	A24P24
A24H2408GQRLP	614 mm	614 mm	203 mm	3.6 mm	4	A24P24
A24H2010GQRLP	616 mm	514 mm	254 mm	3.6 mm	4	A24P20
A24H2012GQRLP	616 mm	514 mm	305 mm	3.6 mm	4	A24P20
A24H2016GQRLP	616 mm	514 mm	406 mm	3.6 mm	4	A24P20
A24H2020GQRLP	616 mm	514 mm	508 mm	3.6 mm	4	A24P20
A24H2024GQRLP	616 mm	514 mm	610 mm	3.6 mm	4	A24P20
A24H2006GQRLP	616 mm	514 mm	152 mm	3.6 mm	4	A24P20
A24H2008GQRLP	616 mm	514 mm	203 mm	3.6 mm	4	A24P20
A30H2410GQRLP	768 mm	616 mm	254 mm	3.6 mm	5	A30P24

Catalog Number	Height	Width	Depth	Thickness	Latch Quantity	Panel
A30H2412GQRLP	768 mm	616 mm	305 mm	3.6 mm	5	A30P24
A30H2416GQRLP	768 mm	616 mm	406 mm	3.6 mm	5	A30P24
A30H2420GQRLP	768 mm	616 mm	508 mm	3.6 mm	5	A30P24
A30H2424GQRLP	768 mm	616 mm	610 mm	3.6 mm	5	A30P24
A30H2406GQRLP	768 mm	616 mm	152 mm	3.6 mm	5	A30P24
A30H2408GQRLP	768 mm	616 mm	203 mm	3.6 mm	5	A30P24
A36H3012GQRLP	921 mm	768 mm	305 mm	3.3 mm	5	A36P30
A36H3020GQRLP	921 mm	768 mm	508 mm	3.8 mm	5	A36P30
A36H3008GQRLP	921 mm	768 mm	203 mm	3.3 mm	5	A36P30
A36H3612GQRLP	921 mm	921 mm	305 mm	3.8 mm	7	A36P36
A48H3612GQRLP	1226 mm	921 mm	305 mm	3.8 mm	8	A48P36
A48H3616GQRLP	1226 mm	921 mm	406 mm	3.8 mm	8	A48P36
A48H3620GQRLP	1226 mm	921 mm	508 mm	3.8 mm	8	A48P36
A60H3612GQRLP	1527 mm	922 mm	305 mm	3.8 mm	8	A60P36
A60H3616GQRLP	1527 mm	922 mm	406 mm	3.8 mm	8	A60P36

Table 2/2

Catalog Number	Conductive Panel	Panel Size
A20H2008GQRLP3PT	A20P20G	432 x 432 mm
A24H2412GQRLP3PT	A24P24G	533 x 533 mm
A24H2408GQRLP3PT	A24P24G	533 x 533 mm
A24H2010GQRLP3PT	A24P20G	533 x 432 mm
A24H2006GQRLP3PT	A24P20G	533 x 432 mm
A24H2008GQRLP3PT	A24P20G	533 x 432 mm
A30H2410GQRLP3PT	A30P24G	686 x 533 mm
A30H2412GQRLP3PT	A30P24G	686 x 533 mm
A30H2408GQRLP3PT	A30P24G	686 x 533 mm
A36H3012GQRLP3PT	A36P30G	838 x 686 mm
A36H3008GQRLP3PT	A36P30G	838 x 686 mm
A20H1610GQRLP	A20P16G	432 x 330 mm
A20H1612GQRLP	A20P16G	432 x 330 mm
A20H1620GQRLP	A20P16G	432 x 330 mm
A20H1606GQRLP	A20P16G	432 x 330 mm
A20H1608GQRLP	A20P16G	432 x 330 mm

Catalog Number	Conductive Panel	Panel Size
A20H2010GQRLP	A20P20G	432 x 432 mm
A20H2012GQRLP	A20P20G	432 x 432 mm
A20H2020GQRLP	A20P20G	432 x 432 mm
A20H2006GQRLP	A20P20G	432 x 432 mm
A20H2008GQRLP	A20P20G	432 x 432 mm
A24H2412GQRLP	A24P24G	533 x 533 mm
A24H2416GQRLP	A24P24G	533 x 533 mm
A24H2420GQRLP	A24P24G	533 x 533 mm
A24H2424GQRLP	A24P24G	533 x 533 mm
A24H2408GQRLP	A24P24G	533 x 533 mm
A24H2010GQRLP	A24P20G	533 x 432 mm
A24H2012GQRLP	A24P20G	533 x 432 mm
A24H2016GQRLP	A24P20G	533 x 432 mm
A24H2020GQRLP	A24P20G	533 x 432 mm
A24H2024GQRLP	A24P20G	533 x 432 mm
A24H2006GQRLP	A24P20G	533 x 432 mm
A24H2008GQRLP	A24P20G	533 x 432 mm
A30H2410GQRLP	A30P24G	686 x 533 mm
A30H2412GQRLP	A30P24G	686 x 533 mm
A30H2416GQRLP	A30P24G	686 x 533 mm
A30H2420GQRLP	A30P24G	686 x 533 mm
A30H2424GQRLP	A30P24G	686 x 533 mm
A30H2406GQRLP	A30P24G	686 x 533 mm
A30H2408GQRLP	A30P24G	686 x 533 mm
A36H3012GQRLP	A36P30G	838 x 686 mm
A36H3020GQRLP	A36P30G	838 x 686 mm
A36H3008GQRLP	A36P30G	838 x 686 mm
A36H3612GQRLP	A36P36G	838 x 838 mm
A48H3612GQRLP	A48P36G	1143 x 838 mm
A48H3616GQRLP	A48P36G	1143 x 838 mm
A48H3620GQRLP	A48P36G	1143 x 838 mm
A60H3612GQRLP	A60P36G	1448 x 838 mm
A60H3616GQRLP	A60P36G	1448 x 838 mm

Purchase panels separately. Optional stainless steel, composite and aluminum panels available for most sizes. See General Accessories

2100 Hoffman Way
Anoka, MN 55303-1745 | USA
763.421.2240



Our powerful portfolio of brands:
[nVent.com](https://www.nVent.com) **CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER**

© 2023 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.

nVent reserves the right to change specifications without notice.