

CONTINUOUS HINGE WITH CLAMPS LP TYPE 4

These single-door enclosures feature a hinged door with clamps on three sides to create a secure seal in indoor or outdoor environments. The gray polyester powder finish inside and out provides enhanced corrosion protection in outdoor applications.



FEATURES & BENEFITS

- Seams continuously welded and ground smooth
- External wall-mounting brackets for easy installation
- Formed external flanges around all sides of enclosure opening
- Stainless steel screw-down clamps on three sides of door
- Removable heavy gauge stainless steel continuous hinge pin
- Removable door with continuous hinge for strength and ruggedness
- Hasp and staple provided for padlocking
- Data pocket is high-impact thermoplastic
- Collar studs for mounting optional panels
- Bonding provision on door
- Seamless foam-in-place gasket

SPECIFICATIONS

- Protection Rating** NEMA Type 12; NEMA Type 4; IP66
- Material** Mild Steel
- Finish** Powder Coated
- Color** Gray
- Color Code** ANSI 61

Table 1/2

| Catalog Number | Height | Width | Depth | Thickness | Panel | Conductive Panel |
|----------------|---------|--------|--------|-----------|--------|------------------|
| A16H12ALP | 406 mm | 305 mm | 152 mm | 1.52 mm | A16P12 | A16P12G |
| A16H12BLP | 406 mm | 305 mm | 203 mm | 1.52 mm | A16P12 | A16P12G |
| A16H16ALP | 406 mm | 406 mm | 152 mm | 1.52 mm | A16P16 | A16P16G |
| A16H20ALP | 406 mm | 508 mm | 152 mm | 1.9 mm | A20P16 | A20P16G |
| A20H16CLP | 508 mm | 406 mm | 254 mm | 1.9 mm | A20P16 | A20P16G |
| A20H16ALP | 508 mm | 406 mm | 152 mm | 1.52 mm | A20P16 | A20P16G |
| A20H16BLP | 508 mm | 406 mm | 203 mm | 1.52 mm | A20P16 | A20P16G |
| A20H20ALP | 508 mm | 508 mm | 152 mm | 1.9 mm | A20P20 | A20P20G |
| A20H20BLP | 508 mm | 508 mm | 203 mm | 1.9 mm | A20P20 | A20P20G |
| A20H24BLP | 508 mm | 610 mm | 203 mm | 1.9 mm | A24P20 | A24P20G |
| A24H12ALP | 610 mm | 305 mm | 152 mm | 1.9 mm | A12P24 | A12P24G |
| A24H16ALP | 610 mm | 406 mm | 152 mm | 1.9 mm | A24P16 | A24P16G |
| A24H20CLP | 610 mm | 508 mm | 254 mm | 1.9 mm | A24P20 | A24P20G |
| A24H20ALP | 610 mm | 508 mm | 152 mm | 1.9 mm | A24P20 | A24P20G |
| A24H20BLP | 610 mm | 508 mm | 203 mm | 1.9 mm | A24P20 | A24P20G |
| A24H24ALP | 610 mm | 610 mm | 152 mm | 1.9 mm | A24P24 | A24P24G |
| A24H24BLP | 610 mm | 610 mm | 203 mm | 1.9 mm | A24P24 | A24P24G |
| A24H30BLP | 610 mm | 762 mm | 203 mm | 1.9 mm | A30P24 | A30P24G |
| A30H20ALP | 762 mm | 508 mm | 152 mm | 1.9 mm | A30P20 | A30P20G |
| A30H20BLP | 762 mm | 508 mm | 203 mm | 1.9 mm | A30P20 | A30P20G |
| A30H24CLP | 762 mm | 610 mm | 254 mm | 1.9 mm | A30P24 | A30P24G |
| A30H24DLP | 762 mm | 610 mm | 305 mm | 1.9 mm | A30P24 | A30P24G |
| A30H24ALP | 762 mm | 610 mm | 152 mm | 1.9 mm | A30P24 | A30P24G |
| A30H24BLP | 762 mm | 610 mm | 203 mm | 1.9 mm | A30P24 | A30P24G |
| A30H30BLP | 762 mm | 762 mm | 203 mm | 1.9 mm | A30P30 | A30P30G |
| A36H24ALP | 914 mm | 610 mm | 152 mm | 1.9 mm | A36P24 | A36P24G |
| A36H24BLP | 914 mm | 610 mm | 203 mm | 1.9 mm | A36P24 | A36P24G |
| A36H30CLP | 914 mm | 762 mm | 254 mm | 1.9 mm | A36P30 | A36P30G |
| A36H30DLP | 914 mm | 762 mm | 305 mm | 1.9 mm | A36P30 | A36P30G |
| A36H30FLP | 914 mm | 762 mm | 406 mm | 1.9 mm | A36P30 | A36P30G |
| A36H30BLP | 914 mm | 762 mm | 203 mm | 1.9 mm | A36P30 | A36P30G |
| A42H30BLP | 1067 mm | 762 mm | 203 mm | 1.9 mm | A42P30 | A42P30G |
| A42H36BLP | 1067 mm | 914 mm | 203 mm | 1.9 mm | A42P36 | A42P36G |

| Catalog Number | Height | Width | Depth | Thickness | Panel | Conductive Panel |
|----------------|---------|--------|--------|-----------|--------|------------------|
| A48H30CLP | 1219 mm | 762 mm | 254 mm | 1.9 mm | A48P30 | A48P30G |
| A48H36CLP | 1219 mm | 914 mm | 254 mm | 1.9 mm | A48P36 | A48P36G |
| A48H36DLP | 1219 mm | 914 mm | 305 mm | 1.9 mm | A48P36 | A48P36G |
| A48H36FLP | 1219 mm | 914 mm | 406 mm | 1.9 mm | 48P36 | A48P36G |
| A48H36BLP | 1219 mm | 914 mm | 203 mm | 1.9 mm | A48P36 | A48P36G |
| A60H36CLP | 1524 mm | 914 mm | 254 mm | 1.9 mm | A60P36 | A60P36G |
| A60H36FLP | 1524 mm | 914 mm | 406 mm | 1.9 mm | A60P36 | A60P36G |
| A60H36BLP | 1524 mm | 914 mm | 203 mm | 1.9 mm | A60P36 | A60P36G |

Table 2/2

| Catalog Number | Panel Size | Clamp Quantity | Data Pocket |
|----------------|--------------|----------------|-------------|
| A16H12ALP | 330 x 229 mm | 4 | Small |
| A16H12BLP | 330 x 229 mm | 4 | Small |
| A16H16ALP | 330 x 330 mm | 4 | Small |
| A16H20ALP | 432 x 330 mm | 4 | Small |
| A20H16CLP | 432 x 330 mm | 4 | Small |
| A20H16ALP | 432 x 330 mm | 4 | Small |
| A20H16BLP | 432 x 330 mm | 4 | Small |
| A20H20ALP | 432 x 432 mm | 4 | Small |
| A20H20BLP | 432 x 432 mm | 4 | Small |
| A20H24BLP | 533 x 432 mm | 4 | Small |
| A24H12ALP | 229 x 533 mm | 5 | Small |
| A24H16ALP | 533 x 330 mm | 5 | Small |
| A24H20CLP | 533 x 432 mm | 5 | Small |
| A24H20ALP | 533 x 432 mm | 5 | Small |
| A24H20BLP | 533 x 432 mm | 5 | Small |
| A24H24ALP | 533 x 533 mm | 5 | Small |
| A24H24BLP | 533 x 533 mm | 5 | Small |
| A24H30BLP | 686 x 533 mm | 7 | Small |
| A30H20ALP | 686 x 432 mm | 5 | Small |
| A30H20BLP | 686 x 432 mm | 5 | Small |
| A30H24CLP | 686 x 533 mm | 5 | Large |
| A30H24DLP | 686 x 533 mm | 5 | Large |
| A30H24ALP | 686 x 533 mm | 5 | Large |

| Catalog Number | Panel Size | Clamp Quantity | Data Pocket |
|----------------|---------------|----------------|-------------|
| A30H24BLP | 686 x 533 mm | 5 | Large |
| A30H30BLP | 686 x 686 mm | 7 | Large |
| A36H24ALP | 838 x 533 mm | 5 | Large |
| A36H24BLP | 838 x 533 mm | 5 | Large |
| A36H30CLP | 838 x 686 mm | 7 | Large |
| A36H30DLP | 838 x 686 mm | 7 | Large |
| A36H30FLP | 838 x 686 mm | 7 | Large |
| A36H30BLP | 838 x 686 mm | 7 | Large |
| A42H30BLP | 991 x 686 mm | 8 | Small |
| A42H36BLP | 991 x 838 mm | 8 | Large |
| A48H30CLP | 1143 x 686 mm | 8 | Small |
| A48H36CLP | 1143 x 838 mm | 8 | Large |
| A48H36DLP | 1143 x 838 mm | 8 | Large |
| A48H36FLP | 1143 x 838 mm | 8 | Large |
| A48H36BLP | 1143 x 838 mm | 8 | Large |
| A60H36CLP | 1448 x 838 mm | 9 | Large |
| A60H36FLP | 1448 x 838 mm | 9 | Large |
| A60H36BLP | 1448 x 838 mm | 9 | Large |

Reference the Specification Sheet for Popular Accessories.

Purchase panels separately. Optional stainless steel, conductive, composite and aluminum panels are available for most sizes.

2100 Hoffman Way
Anoka, MN 55303-1745 | USA
763.421.2240



Our powerful portfolio of brands:
[nVent.com](https://www.nVent.com) **CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER**

© 2023 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.

nVent reserves the right to change specifications without notice.