

# Eaton LPS-RK-35SP

Catalog Number: LPS-RK-35SP

Eaton Bussmann series LPS-RK fuse, Low-peak fuse, 35 A, Dual, Class RK1, Non-indicating, Ferrule end x ferrule end, Time delay|Current-limiting, 10 sec at 500%, 100 kAIC at 300 Vdc|300 kAIC at 600 V, Standard, 10, 600 V, 300 Vdc

## General specifications

Product Name	Catalog Number
Eaton Bussmann series LPS-RK fuse	LPS-RK-35SP
UPC	Product Length/Depth
051712548373	5.5 in
Product Height	Product Width
1.06 in	1.06 in
Product Weight	Warranty
2.6 lb	Not Applicable
Compliances	
CE Marked	

## Electrical rating

### Amperage Rating

35 A

### Interrupt rating

300 kAIC at 600 Vac

100 kAIC at 300 Vdc

### Response time

10 sec at 500%

### Voltage rating

600 Vac, 300 Vdc

## Physical details

### Fuse type

Time delay

Current-limiting

### Number of elements

Dual

### Packaging type

Standard

## General information

### Class

Class RK1

### Connection

Ferrule end x ferrule end

### Fuse indicator

Non-indicating

### Quantity

10

### Special features

Electrically isolated end cap

## Resources

### Multimedia

[Bussmann series Fuseology](#)

### Specifications and datasheets

[Eaton Specification Sheet - LPS-RK-35SP](#)

### Technical service bulletins

[Datasheet - FNQ-30](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)