

Eaton LPN-RK-20SP

Catalog Number: LPN-RK-20SP

Eaton Bussmann series LPN-RK fuse, Low-peak fuse, 20 A, Dual, Class RK1, Non-indicating, Ferrule end x ferrule end, Time delay|Current-limiting, 8 sec at 500%, 300 kAIC at 250 V|100 kAIC at 125 Vdc, Standard, 10, 250 V, 125 Vdc

General specifications

Product Name	Catalog Number
Eaton Bussmann series LPN-RK fuse	LPN-RK-20SP
UPC	Product Length/Depth
051712538343	2 in
Product Height	Product Width
.56 in	.56 in
Product Weight	Warranty
.5 lb	Not Applicable
Compliances	
CE Marked	

Electrical rating

Amperage Rating

20 A

Interrupt rating

300 kAIC at 250 Vac

100 kAIC at 125 Vdc

Response time

8 sec at 500%

Voltage rating

250 Vac, 125 Vdc

Physical details

Fuse type

Time delay

Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class RK1

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Non-indicating, High in-rush current motor protection

Resources

Catalogs

[Bussmann series complete full line catalog no. 1007](#)

[Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses](#)

[LPN-RK-20SP-LOW PEAK DUAL ELEMENT](#)

Multimedia

[Bussmann series Fuseology](#)

Specifications and datasheets

[Eaton Specification Sheet - LPN-RK-20SP](#)

Technical service bulletins

[Datasheet - FNQ-30](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)