

PRODUCT-DETAILS

WB1SL0820A00

Rectangular; IP44-IP55-IP65 junction boxes in thermoplastic material



General Information

Extended Product Type	WB1SL0820A00
Product ID	1SL0834A00
EAN	8000126233780
Catalog Description	Rectangular; IP44-IP55-IP65 junction boxes in thermoplastic material
Long Description	IP55-CABLE GL-HIGH LID-310X240X160-1/4TS - GWT 650°C

Technical

Suitable For	IP44-IP55-IP65 junction boxes in thermoplastic material
Rated Insulation Voltage (U _i)	1500 V
Number of Conduit Inlets	10
Cover Mounting Type	Screw
Mounting Type	Wall-mounting
Screw Type	Plastic
Shape	Rectangular
Surface Finishing	Untreated
Enclosure Material	thermoplastic
Material	Plastic
Cover Style	Blind Cover
RAL Number	RAL 7035 - Light Grey
Color	grey

Environmental

Degree of Protection	IP55
Protection Class	Isolated
Environmental Information	1SLC001001D0905

Dimensions

Product Net Width	310 mm
Product Net Height	240 mm
Product Net Depth / Length	160 mm
Product Net Weight	1.4 kg

Container Information

Package Level 1 Units	box 4 piece
Package Level 1 Width	0.59 m
Package Level 1 Height	0.35 m
Package Level 1 Depth / Length	0.4 m
Package Level 1 Gross Weight	5.6 kg
Package Level 1 EAN	8000126233803

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85371098
E-Number (Finland)	3411020
Country of Origin	Bulgaria (BG)

Certificates and Declarations (Document Number)

Declaration of Conformity - CE	9AKK108466A1824
Environmental Information	1SLC001001D0905
Instructions and Manuals	No document needed
RoHS Information	1SLT00014R4E0

Popular Downloads

Data Sheet, Technical Information	1SLC001001D0905
Instructions and Manuals	No document needed

Classifications

ETIM 7	EC002600 - Box/housing for surface mounting on the wall/ceiling
ETIM 8	EC002600 - Box/housing for surface mounting on the wall/ceiling
WEEE Category	Product Not in WEEE Scope
eClass	V11.0 : 27144401

Object Classification

Code

U

Categories

Low Voltage Products and Systems → Enclosures → Junction Boxes (Installation Material) → Wall Mounting → Junction Boxes

