

# Eaton C25DNC325A

Catalog Number: C25DNC325A

Eaton definite purpose contactor, Mounting plate, Quick, Pressure plate, 48 Vdc, Open with metal mounting plate, 15-50A, two- and three-pole, Contactor, Three-pole, D1, Screw, Non-reversing

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton definite purpose contactor	C25DNC325A
<b>UPC</b>	<b>Product Length/Depth</b>
782116307227	3.35 in
<b>Product Height</b>	<b>Product Width</b>
3.75 in	2.4 in
<b>Product Weight</b>	<b>Warranty</b>
1.19 lb	1 year
<b>Compliances</b>	<b>Certifications</b>
RoHS Compliant	UL Recognized CSA Certified UL Listed file E1491 (Guide Number NLDX2)



## Product specifications

### Options

20 pc./pkg., global listed

### Inductive full load

25 A

### Auxiliary contacts

Pressure plate

### Connection

Quick

### Enclosure

Open with metal mounting plate

### Amperage Rating

25A

### Number Of Poles

Three-pole

### Coil

110-120 Vac, 50/60 Hz

### Frame size

15-50 A, two-pole and three-pole

### Coil voltage

110-120 Vac, 50/60 Hz

### Series

D1

### Type

Non-reversing

### Model

Contactors

### Terminals

Screw

### Resistive load

35 A

## Resources

### Catalogs

Eaton's Volume 5—Motor Control and Protection

### Specifications and datasheets

Eaton Specification Sheet - C25DNC325A

### Warranty guides

Selling Policy 25-000 - Distribution and Control Products and Services



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)