


## PRODUCT-DETAILS

# EFX155-008-E

## FULL RANGE CLF FOR ELBOW 15.5KV 8A



### General Information

|                       |                                                                                                                                                         |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | EFX155-008-E                                                                                                                                            |
| Product ID            | 7TAA124190R0087                                                                                                                                         |
| EAN                   | 0783786430826                                                                                                                                           |
| Catalog Description   | FULL RANGE CLF FOR ELBOW 15.5KV 8A                                                                                                                      |
| Long Description      | Fuse, FLE - Fused Loadbreak Elbows, Full Range Current Limiting, System Voltage class 25kV, Nominal Fuse voltage rating 15.5 kV, Amperage Rating 8 Amps |

### Ordering

|                         |                    |
|-------------------------|--------------------|
| EAN                     | 0783786430826      |
| UPC                     | 783786430826       |
| Country of Origin       | United States (US) |
| Selling Unit of Measure | each               |

### Container Information

|                                |                   |
|--------------------------------|-------------------|
| Package Level 1 Units          | 1 piece           |
| Package Level 1 Width          | 2.25 in<br>57 mm  |
| Package Level 1 Height         | 2.25 in<br>57 mm  |
| Package Level 1 Depth / Length | 11.5 in<br>292 mm |
| Package Level 2 Units          | 15 piece          |
| Package Level 2 Width          | 12 in             |

|                                |        |
|--------------------------------|--------|
|                                | 305 mm |
| Package Level 2 Height         | 9 in   |
|                                | 229 mm |
| Package Level 2 Depth / Length | 18 in  |
|                                | 457 mm |

## Technical UL/CSA

|                                     |          |
|-------------------------------------|----------|
| Short-Circuit Current Rating (SCCR) | 50,000 A |
|-------------------------------------|----------|

## Additional Information

|                   |                                                                                                                                                                                              |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Application       | Current Limiting Protection, Capable of Interrupting in Elevated Ambient Temperatures.                                                                                                       |
| Brand / Label     | Elastimold                                                                                                                                                                                   |
| Current Rating    | 8 A                                                                                                                                                                                          |
| Effective Date    | 20050110                                                                                                                                                                                     |
| Material          | Resin-Rich Filament Wound Glass/Epoxy Body                                                                                                                                                   |
| Product Name      | ELECTRICAL FUSE>1000V                                                                                                                                                                        |
| Product Type      | Current-Limiting Fuse                                                                                                                                                                        |
| Size              | 9-1/4 in long, 2-1/4 in Diameter                                                                                                                                                             |
| Special Functions | Tin Plated Brass Cap, Compacted Quartz Sand, Low-Current Interruption Element includes Patented Damage Sensor, High-Current Interruption Element, Soldered Electrical Connection and Sealing |
| Standards         | ANSI C37.40, ANSI C37.41, ANSI C37.47, IEEE 386                                                                                                                                              |
| Voltage Rating    | 15.5 kV                                                                                                                                                                                      |

## Certificates and Declarations (Document Number)

|                                   |              |
|-----------------------------------|--------------|
| Data Sheet, Technical Information | EFX155-008-E |
| Instructions and Manuals          | EFX155-008-E |

## Classifications

|                                    |                                      |
|------------------------------------|--------------------------------------|
| ETIM 7                             | EC003507 - Medium-/high voltage fuse |
| ETIM 8                             | EC003507 - Medium-/high voltage fuse |
| UNSPSC                             | 39121626                             |
| WEEE Category                      | Product Not in WEEE Scope            |
| IDEA Granular Category Code (IGCC) | 4980 >> Medium voltage fuse          |

## Categories

Low Voltage Products and Systems → Installation Products → Cable Accessories and Apparatus → Cable Accessories

