

Eaton 63NHG000B/690

Catalog Number: 63NHG000B/690

Fuse-link, LV, 63 A, AC 690 V, NH000, gL/gG, IEC, dual indicator, live gripping lugs

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage NH Fuse	63NHG000B/690
	UPC
	051712683753
EAN	Product Length/Depth
5027590485357	79 mm
Product Height	Product Width
51 mm	21 mm
Product Weight	Compliances
151.333 g	CE CE Marked RoHS Compliant
Certifications	
IEC 60269-1 IEC 60269-2 DIN 43620	



Product specifications

Fuse indicator

Combination fuse status indicator

Interrupt rating

120 kAIC

Construction

NH000

Construction size

NH000

Rated voltage AC

690 V

Insulated metal gripping lugs (IMGL)

No

Connection

Blade end

Quantity

3

Suitable for

Microswitch 170H0236

EBF Vertical fuse rail

EBV Vertical fuse switch-disconnectors

EBH Size 000 Horizontal fuse switch-disconnectors

Material

Ceramic body

Amperage Rating

63 A

Utilization category

gL/gG (cable protection/equipment protection)

Fuse type

Square body with knife blade contact

Type

Fuse

Fitted with:

Metal gripping lugs

Rated switching capacity

120 kA

Fuse shape

Resources

Catalogs

[Product overview for machinery](#)

Compliance information

[CE NH Size 000, 690V fuse-links](#)

[UKCA NH Size 000, 690V fuse-links](#)

Presentations

[NH Overview Video](#)

Technical service bulletins

[Datasheet - 63NHG000B/690](#)

Square body

Knife blade contacts

Breaking capacity

120 kA

Fuse size

NH000

Class

Class gG/gL

Voltage rating

690 V

Application

industrial

Utilities, Solar, Wind

Voltage type

AC



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia