

# Eaton LPN-RK-40SP

Catalog Number: LPN-RK-40SP

Eaton Bussmann series LPN-RK fuse, Low-peak fuse, 40 A, Dual, Class RK1, Non-indicating, Ferrule end x ferrule end, Time delay|Current-limiting, 10 sec at 500%, 100 kAIC at 125 Vdc|300 kAIC at 250 V, Standard, 10, 250 V, 125 Vdc

## General specifications

Product Name	Catalog Number
Eaton Bussmann series LPN-RK fuse	LPN-RK-40SP
UPC	Product Length/Depth
051712538381	3 in
Product Height	Product Width
.81 in	.81 in
Product Weight	Warranty
.5 lb	Not Applicable
Compliances	
CE Marked	

## Electrical rating

### Amperage Rating

40 A

### Interrupt rating

300 kAIC at 250 Vac

100 kAIC at 125 Vdc

### Response time

10 sec at 500%

### Voltage rating

250 Vac, 125 Vdc

## Physical details

### Fuse type

Time delay

Current-limiting

### Number of elements

Dual

### Packaging type

Standard

## General information

### Class

Class RK1

### Connection

Ferrule end x ferrule end

### Fuse indicator

Non-indicating

### Quantity

10

### Special features

Indicating, High in-rush current motor protection

## Resources

### Catalogs

[LPN-RK-40SP~LOW PEAK DUAL ELEMENT](#)

[Bussmann series full line catalog 1007, section 01- low voltage branch circuit fuses](#)

[Bussmann series complete full line catalog no. 1007](#)

### Multimedia

[Bussmann series Fuseology](#)

### Specifications and datasheets

[Eaton Specification Sheet - LPN-RK-40SP](#)

### Technical service bulletins

[Datasheet - FNQ-30](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)