

# Eaton LPN-RK-5SP

Catalog Number: LPN-RK-5SP

Eaton Bussmann series LPN-RK fuse, Low-peak fuse, 5 A, Dual, Class RK1, Non-indicating, Ferrule end x ferrule end, Time delay|Current-limiting, 8 sec at 500%, 300 kAIC at 250 V|100 kAIC at 125 Vdc, Standard, 10, 250 V, 125 Vdc

## General specifications

Product Name	Catalog Number
Eaton Bussmann series LPN-RK fuse	LPN-RK-5SP
UPC	EAN
051712538237	5027590091589
Product Length/Depth	Product Height
2 in	.56 in
Product Width	Product Weight
.56 in	.5 lb
Warranty	Compliances
Not Applicable	CE Marked

## Electrical rating

### Amperage Rating

5 A

### Interrupt rating

300 kAIC at 250 Vac

100 kAIC at 125 Vdc

### Response time

8 sec at 500%

### Voltage rating

250 Vac, 125 Vdc

## Physical details

### Fuse type

Time delay

Current-limiting

### Number of elements

Dual

### Packaging type

Standard

## General information

### Class

Class RK1

### Connection

Ferrule end x ferrule end

### Fuse indicator

Non-indicating

### Quantity

10

### Special features

Electrically isolated end cap

## Resources

### Catalogs

Bussmann series complete full line catalog no. 1007

LPN-RK-5SP~LOW PEAK DUAL ELEMENT

### Multimedia

Bussmann series Fuseology

### Specifications and datasheets

Eaton Specification Sheet - LPN-RK-5SP

### Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)