

Eaton LPN-RK-8SP

Catalog Number: LPN-RK-8SP

Eaton Bussmann series LPN-RK fuse, Low-peak fuse, 8 A, Dual, Class RK1, Non-indicating, Ferrule end x ferrule end, Time delay|Current-limiting, 8 sec at 500%, 300 kAIC at 250 V|100 kAIC at 125 Vdc, Standard, 10, 250 V, 125 Vdc

General specifications

Product Name	Catalog Number
Eaton Bussmann series LPN-RK fuse	LPN-RK-8SP
UPC	EAN
051712538282	5027590173001
Product Length/Depth	Product Height
2 in	.56 in
Product Width	Product Weight
.56 in	.5 lb
Warranty	Compliances
Not Applicable	CE Marked



Electrical rating

Amperage Rating

8 A

Interrupt rating

100 kAIC at 125 Vdc

300 kAIC at 250 Vac

Response time

8 sec at 500%

Voltage rating

250 Vac, 125 Vdc

Physical details

Fuse type

Time delay

Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class RK1

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

Quantity

10

Special features

Electrically isolated end cap

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

LPN-RK-8SP~LOW PEAK DUAL ELEMENT

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LPN-RK-8SP

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)