Eaton LPS-RK-20SPI

Catalog Number: LPS-RK-20SPI

Eaton Bussmann series LPS-RK fuse, Low-peak fuse, 20 A, Dual, RK1, With Indicator, Ferrule end x ferrule end, Time delaylCurrent-limiting, 10 sec at 500%, 300 kAIC at 600 V|100 kAIC at 300 Vdc, Standard, 10, 600 V, 300 Vdc

General specifications

Product Name

Eaton Bussmann series LPS-RK fuse

UPC

051712618496

Product Height

.81 in

Product Weight

1.6 lb

Compliances

CE Marked

Catalog Number

LPS-RK-20SPI

Product Length/Depth

5 in

Product Width

.81 in

Warranty

Not Applicable



Electrical rating

Amperage Rating

20 A

Interrupt rating

100 kAIC at 300 Vdc 300 kAIC at 600 Vac

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

Physical details

Fuse type

Time delay

Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class RK1

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating

With Indicator

Quantity

10

Resources

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LPS-RK-20SPI



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2023 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia