Eaton LPS-RK-10SPI

Catalog Number: LPS-RK-10SPI

Eaton Bussmann series LPS-RK fuse, Low-peak fuse, 10 A, Dual, RK1, With Indicator, Ferrule end x ferrule end, Time delay/Current-limiting, 10 sec at 500%, 300 kAIC at 600 V|100 kAIC at 300 Vdc, Standard, 10, 600 V, 300 Vdc

General specifications

Product Name	Catalog
Eaton Bussmann series LPS-RK fuse	LPS-RM
UPC	Product
051712626880	5 in
Product Height	Product
.81 in	.81 in
Product Weight	Warrant
1.6 lb	Not App
Compliances CE Marked	

Number K-10SPI Length/Depth Width

ty plicable

FATON Powering Business Worldwide

Electrical rating

Amperage Rating

10 A

Interrupt rating

100 kAIC at 300 Vdc 300 kAIC at 600 Vac

Response time

10 sec at 500%

Voltage rating

600 Vac, 300 Vdc

Physical details

Fuse type

Time delay Current-limiting

Number of elements

Dual

Packaging type

Standard

General information

Class

Class RK1

Connection

Ferrule end x ferrule end

Fuse indicator

Non-indicating With Indicator

Quantity

10

Resources

Multimedia Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - LPS-RK-10SPI



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

Eaton.comAll other trademarks are© 2023 Eaton. All Rightsproperty of their respectiveReserved.owners.



Eaton.com/socialmedia