

Eaton BK/S506-10-R

Catalog Number: BK/S506-10-R

Eaton S506 Series Time-delay fuse 10A, 250 Vac or less, 32 Vdc (self certified)

General specifications

Product Name	Catalog Number
Eaton Bussmann series time-delay fuse	BK/S506-10-R
UPC	Product Length/Depth
051712639545	20 mm
Product Height	Product Width
5 mm	5 mm
Product Weight	Warranty
.002 g	Not Applicable
Compliances	Certifications
RoHS Compliant CCC Marked	VDE



Product specifications

Fuse indicator

Non-indicating

Special features

Glass tube

Interrupt rating

35 AIC at 250 Vac

Connection

Ferrule end x ferrule end

Quantity

100

Material

Glass tube

Nickel-plated brass end cap construction

Amperage Rating

10 A

Voltage drop

54 mV maximum

Frequency rating - max

50 Hz

Type

Electronic

Frequency rating - min

50 Hz

Voltage rating

250 Vac or less, 32 Vdc (self certified)

Application

Electronic circuits

Packaging type

Bulk

Resources

Specifications and datasheets

[Eaton Specification Sheet - BK/S506-10-R](#)

[Eaton S506 time delay glass tube fuses data sheet](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)