



Powering Business Worldwide

TR7745A-BOX

COMBO 2 PORT USB DUPLEX RECP 15A 125V
A1

UPC: 032664731518

Brand Name: Eaton

Sub Brand: Eaton

Type: locking

Special Features: Auto Grip Straight Body, Wiring Type Side Wire, Grounding

Application: Industrial

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 16 To 12 AWG

Amperage Rating: 15 Amp

Voltage Rating: 125 Vac

Cord Type: 0.33 To 0.66 In Diameter

Material: Phenolic Outer Shell/Interior Body, Polycarbonate Terminal Retainer

Color: Black, White

NEMA Rating: L5-15

Connection: Screw

Environmental Conditions: -40 To 60 Deg C

TR7745A-K

COMBO 2 PORT USB DUPLEX RECP 15A 125V
A1

UPC: 032664731563

Brand Name: Eaton

Sub Brand: Eaton

Type: locking

Special Features: Safety Grip Straight Body, Non-NEMA, Wiring Type Back Wire

Application: Industrial

Number Of Poles: 2

Number Of Wires: 3

Amperage Rating: 15 Amp

Voltage Rating: 125 Vac

Cord Type: 0.250 To 0.656

Material: Phenolic Outer Shell/Interior Body, Polycarbonate Terminal Retainer

Color: Black/White

NEMA Rating: L5-15

Connection: Screw

Environmental Conditions: -40 To 75 DegC



Powering Business Worldwide

TR7745B-BOX

COMBO 2 PORT USB DUPLEX RECP 15A 125V
BR

UPC: 032664739200

Brand Name: Arrow Hart

Sub Brand: Hart-Lock

Type: Locking

Special Features: AutoGrip Corrosion Resistant, Wiring Type Side Wire

Application: Industrial

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 16 To 12 AWG

Amperage Rating: 15 Amp

Voltage Rating: 125 Vac

Cord Type: 0.33 To 0.66 In Diameter

Material: Phenolic Outer Shell/Interior Body, Polycarbonate Terminal Retainer

Color: Yellow

NEMA Rating: L5-15

TR7745BK-BOX

COMBO 2 PORT USB DUPLEX RECP 15A 125V
BK

UPC: 032664731525

Brand Name: Eaton

Sub Brand: Eaton

Type: Locking

Special Features: Safety Grip Straight Body, Wiring Type Side Wire

Application: Industrial

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 16 To 12 AWG

Amperage Rating: 15 Amp

Voltage Rating: 250 Vac

Cord Type: 0.33 To 0.66 In Diameter

Material: Nylon Outer Shell/Interior Body, Polycarbonate Terminal Retainer

Color: Black, White

NEMA Rating: L6-15

Connection: Screw

Size: 1.50 In Diameter

Environmental Conditions: -40 To 60 Deg C



Powering Business Worldwide

TR7745BK-K

COMBO 2 PORT USB DUPLEX RECP 15A 125V
D17

UPC: 032664731570

Brand Name: Eaton

Sub Brand: Eaton

Type: Locking

Special Features: Auto Grip Straight Body, Wiring Type Side Wire, Grounding

Application: Industrial

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 16 To 12 AWG

Amperage Rating: 15 Amp

Voltage Rating: 250 Vac

Cord Type: 0.33 To 0.66 In Diameter

Material: Phenolic Outer Shell/Interior Body, Polycarbonate Terminal Retainer

Color: Black, White

NEMA Rating: L6-15

Connection: Screw

Size: 1.52 In Diameter

Environmental Conditions: -40 To 60 Deg C

TR7745GY-BOX

COMBO 2 PORT USB DUPLEX RECP 15A 125V
D17

UPC: 032664739217

Brand Name: Eaton

Sub Brand: Eaton

Type: Locking

Special Features: Safety Grip Straight Body, Wiring Type Side Wire

Application: Industrial

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 16 To 12 AWG

Amperage Rating: 15 Amp

Voltage Rating: 277 Vac

Cord Type: 0.33 To 0.66 In Diameter

Material: Nylon Outer Shell/Interior Body, Polycarbonate Terminal Retainer

Color: Black, White

NEMA Rating: L7-15

Connection: Screw

Environmental Conditions: -40 To 60 Deg C



Powering Business Worldwide

TR7745LA-BOX

COMBO 2 PORT USB DUPLEX RECP 15A 125V
I A

UPC: 032664731532

Brand Name: Eaton

Sub Brand: Eaton

Type: Locking

Special Features: Auto Grip Straight Body, Wiring Type Side Wire, Grounding

Application: Industrial

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 16 To 12 AWG

Amperage Rating: 15 Amp

Voltage Rating: 277 Vac

Cord Type: 0.33 To 0.66 In Diameter

Material: Phenolic Outer Shell/Interior Body, Polycarbonate Terminal Retainer

Color: Black, White

NEMA Rating: L7-15

Connection: Screw

Size: 1.52 In Diameter

Environmental Conditions: -40 To 60 Deg C

TR7745LA-K

COMBO 2 PORT USB DUPLEX RECP 15A 125V
I A

UPC: 032664731587

Brand Name: Arrow Hart

Sub Brand: Hart-Lock

Type: Locking

Special Features: Safety Grip Straight Body, Wiring Type Back Wire

Application: Industrial

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 16 To 12 AWG

Amperage Rating: 20 Amp

Voltage Rating: 125 Vac

Cord Type: 0.38 To 1.00 In Diameter

Material: Nylon Outer Shell/Interior Body, Polycarbonate Terminal Retainer

Color: Black

NEMA Rating: L5-20

Size: 2.12 In Diameter



Powering Business Worldwide

TR7745V-BOX

COMBO 2 PORT USB DUPLEX RECP 15A 125V

UPC: 032664731549

Brand Name: Arrow Hart

Sub Brand: Hart-Lock

Type: Corrosion Resistant, Locking

Special Features: Safety Grip Corrosion Resistant, Wiring Type Back Wire

Application: Industrial

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 14 To 8 AWG

Amperage Rating: 20 Amp

Voltage Rating: 125 Vac

Cord Type: 0.38 To 1.00 In Diameter

Material: Nylon

Color: Yellow

NEMA Rating: L5-20

Size: 2.12 In Diameter

TR7745V-K

COMBO 2 PORT USB DUPLEX RECP 15A 125V

UPC: 032664731594

TR7745W-BOX

COMBO 2 PORT USB DUPLEX RECP 15A 125V

UPC: 032664731556

Brand Name: Arrow Hart

Sub Brand: Hart-Lock

Type: Corrosion Resistant, Locking

Special Features: Safety Grip Corrosion Resistant, Wiring Type Back Wire

Application: Industrial

Number Of Poles: 2

Number Of Wires: 3

Wire Size: 14 To 8 AWG

Amperage Rating: 20 Amp

Voltage Rating: 250 Vac

Cord Type: 0.38 To 1.00 In Diameter

Material: Nylon

Color: Yellow

NEMA Rating: L6-20



Powering Business Worldwide

TR7745W-K

COMBO 2 PORT USB DUPLEX RECP 15A 125V
W/L

UPC: 032664731600