

## CONTINUOUS HINGE WITH CLAMPS LP TYPE 4

These single-door enclosures feature a hinged door with clamps on three sides to create a secure seal in indoor or outdoor environments. The gray polyester powder finish inside and out provides enhanced corrosion protection in outdoor applications.



### FEATURES & BENEFITS

---

- Seams continuously welded and ground smooth
- External wall-mounting brackets for easy installation
- Formed external flanges around all sides of enclosure opening
- Stainless steel screw-down clamps on three sides of door
- Removable heavy gauge stainless steel continuous hinge pin
- Removable door with continuous hinge for strength and ruggedness
- Hasp and staple provided for padlocking
- Data pocket is high-impact thermoplastic
- Collar studs for mounting optional panels
- Bonding provision on door
- Seamless foam-in-place gasket

### SPECIFICATIONS

---

- Protection Rating** NEMA Type 12; NEMA Type 4; IP66
- Material** Mild Steel
- Finish** Powder Coated
- Color** Gray
- Color Code** ANSI 61

Table 1/2

Catalog Number	Height	Width	Depth	Thickness	Panel	Conductive Panel
A16H12ALP	406 mm	305 mm	152 mm	1.52 mm	A16P12	A16P12G
A16H12BLP	406 mm	305 mm	203 mm	1.52 mm	A16P12	A16P12G
A16H16ALP	406 mm	406 mm	152 mm	1.52 mm	A16P16	A16P16G
A16H20ALP	406 mm	508 mm	152 mm	1.9 mm	A20P16	A20P16G
A20H16CLP	508 mm	406 mm	254 mm	1.9 mm	A20P16	A20P16G
A20H16ALP	508 mm	406 mm	152 mm	1.52 mm	A20P16	A20P16G
A20H16BLP	508 mm	406 mm	203 mm	1.52 mm	A20P16	A20P16G
A20H20ALP	508 mm	508 mm	152 mm	1.9 mm	A20P20	A20P20G
A20H20BLP	508 mm	508 mm	203 mm	1.9 mm	A20P20	A20P20G
A20H24BLP	508 mm	610 mm	203 mm	1.9 mm	A24P20	A24P20G
A24H12ALP	610 mm	305 mm	152 mm	1.9 mm	A12P24	A12P24G
A24H16ALP	610 mm	406 mm	152 mm	1.9 mm	A24P16	A24P16G
A24H20CLP	610 mm	508 mm	254 mm	1.9 mm	A24P20	A24P20G
A24H20ALP	610 mm	508 mm	152 mm	1.9 mm	A24P20	A24P20G
A24H20BLP	610 mm	508 mm	203 mm	1.9 mm	A24P20	A24P20G
A24H24ALP	610 mm	610 mm	152 mm	1.9 mm	A24P24	A24P24G
A24H24BLP	610 mm	610 mm	203 mm	1.9 mm	A24P24	A24P24G
A24H30BLP	610 mm	762 mm	203 mm	1.9 mm	A30P24	A30P24G
A30H20ALP	762 mm	508 mm	152 mm	1.9 mm	A30P20	A30P20G
A30H20BLP	762 mm	508 mm	203 mm	1.9 mm	A30P20	A30P20G
A30H24CLP	762 mm	610 mm	254 mm	1.9 mm	A30P24	A30P24G
A30H24DLP	762 mm	610 mm	305 mm	1.9 mm	A30P24	A30P24G
A30H24ALP	762 mm	610 mm	152 mm	1.9 mm	A30P24	A30P24G
A30H24BLP	762 mm	610 mm	203 mm	1.9 mm	A30P24	A30P24G
A30H30BLP	762 mm	762 mm	203 mm	1.9 mm	A30P30	A30P30G
A36H24ALP	914 mm	610 mm	152 mm	1.9 mm	A36P24	A36P24G
A36H24BLP	914 mm	610 mm	203 mm	1.9 mm	A36P24	A36P24G
A36H30CLP	914 mm	762 mm	254 mm	1.9 mm	A36P30	A36P30G
A36H30DLP	914 mm	762 mm	305 mm	1.9 mm	A36P30	A36P30G
A36H30FLP	914 mm	762 mm	406 mm	1.9 mm	A36P30	A36P30G
A36H30BLP	914 mm	762 mm	203 mm	1.9 mm	A36P30	A36P30G
A42H30BLP	1067 mm	762 mm	203 mm	1.9 mm	A42P30	A42P30G
A42H36BLP	1067 mm	914 mm	203 mm	1.9 mm	A42P36	A42P36G

Catalog Number	Height	Width	Depth	Thickness	Panel	Conductive Panel
A48H30CLP	1219 mm	762 mm	254 mm	1.9 mm	A48P30	A48P30G
A48H36CLP	1219 mm	914 mm	254 mm	1.9 mm	A48P36	A48P36G
A48H36DLP	1219 mm	914 mm	305 mm	1.9 mm	A48P36	A48P36G
A48H36FLP	1219 mm	914 mm	406 mm	1.9 mm	48P36	A48P36G
A48H36BLP	1219 mm	914 mm	203 mm	1.9 mm	A48P36	A48P36G
A60H36CLP	1524 mm	914 mm	254 mm	1.9 mm	A60P36	A60P36G
A60H36FLP	1524 mm	914 mm	406 mm	1.9 mm	A60P36	A60P36G
A60H36BLP	1524 mm	914 mm	203 mm	1.9 mm	A60P36	A60P36G

Table 2/2

Catalog Number	Panel Size	Clamp Quantity	Data Pocket
A16H12ALP	330 x 229 mm	4	Small
A16H12BLP	330 x 229 mm	4	Small
A16H16ALP	330 x 330 mm	4	Small
A16H20ALP	432 x 330 mm	4	Small
A20H16CLP	432 x 330 mm	4	Small
A20H16ALP	432 x 330 mm	4	Small
A20H16BLP	432 x 330 mm	4	Small
A20H20ALP	432 x 432 mm	4	Small
A20H20BLP	432 x 432 mm	4	Small
A20H24BLP	533 x 432 mm	4	Small
A24H12ALP	229 x 533 mm	5	Small
A24H16ALP	533 x 330 mm	5	Small
A24H20CLP	533 x 432 mm	5	Small
A24H20ALP	533 x 432 mm	5	Small
A24H20BLP	533 x 432 mm	5	Small
A24H24ALP	533 x 533 mm	5	Small
A24H24BLP	533 x 533 mm	5	Small
A24H30BLP	686 x 533 mm	7	Small
A30H20ALP	686 x 432 mm	5	Small
A30H20BLP	686 x 432 mm	5	Small
A30H24CLP	686 x 533 mm	5	Large
A30H24DLP	686 x 533 mm	5	Large
A30H24ALP	686 x 533 mm	5	Large

Catalog Number	Panel Size	Clamp Quantity	Data Pocket
A30H24BLP	686 x 533 mm	5	Large
A30H30BLP	686 x 686 mm	7	Large
A36H24ALP	838 x 533 mm	5	Large
A36H24BLP	838 x 533 mm	5	Large
A36H30CLP	838 x 686 mm	7	Large
A36H30DLP	838 x 686 mm	7	Large
A36H30FLP	838 x 686 mm	7	Large
A36H30BLP	838 x 686 mm	7	Large
A42H30BLP	991 x 686 mm	8	Small
A42H36BLP	991 x 838 mm	8	Large
A48H30CLP	1143 x 686 mm	8	Small
A48H36CLP	1143 x 838 mm	8	Large
A48H36DLP	1143 x 838 mm	8	Large
A48H36FLP	1143 x 838 mm	8	Large
A48H36BLP	1143 x 838 mm	8	Large
A60H36CLP	1448 x 838 mm	9	Large
A60H36FLP	1448 x 838 mm	9	Large
A60H36BLP	1448 x 838 mm	9	Large

Reference the Specification Sheet for Popular Accessories.

Purchase panels separately. Optional stainless steel, conductive, composite and aluminum panels are available for most sizes.

2100 Hoffman Way  
Anoka, MN 55303-1745 | USA  
763.421.2240



Our powerful portfolio of brands:  
[nVent.com](https://www.nVent.com) **CADDY ERICO HOFFMAN RAYCHEM SCHROFF TRACER**

© 2023 nVent. All nVent marks and logos are owned or licensed by nVent Services GmbH or its affiliates. All other trademarks are the property of their respective owners.

nVent reserves the right to change specifications without notice.