

PRODUCT-DETAILS

# RC10-250A

## INS NYL FEM-250 DISC 12-10 LEN .8



### General Information

Extended Product Type	RC10-250A
Product ID	7TAI029690R0014
EAN	5414363159117
Catalog Description	INS NYL FEM-250 DISC 12-10 LEN .8
Long Description	Nylon Insulated Open Top 90 Degree Flag Female Disconnect Terminal, Length .80 Inch, Width .88 Inch, Maximum Insulation .245, Tab Size .250x.032, Wire Range #12-#10 AWG, Color Yellow, Brass, Tin Plated

### Ordering

EAN	5414363159117
UPC	786210894478
Country of Origin	United States (US)
Selling Unit of Measure	each

### Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	1.3 in 33 mm
Package Level 1 Height	3.5 in 89 mm
Package Level 1 Depth /	2.5 in

Length	64 mm
Package Level 2 Units	250 piece
Package Level 2 Width	10.5 in 267 mm
Package Level 2 Height	7.9 in 201 mm
Package Level 2 Depth / Length	12.1 in 307 mm
Package Level 3 Units	2500 piece
Package Level 3 Width	7.9 in 201 mm
Package Level 3 Height	10.2 in 259 mm
Package Level 3 Depth / Length	12.3 in 312 mm

### Additional Information

Brand / Label	Sta-Kon
Color	Yellow
Effective Date	19771202
Insulation Material	Nylon/Polyamide
Material	Brass
Product Name	ELECTRICAL TERMINAL
Product Type	Nylon Insulated Open Top 90 Degree Flag Female Disconnect
Special Functions	Unique construction of the female disconnect offers long-term dependability. Brazed seam serrated barrel provides maximum tensile strength.
Standards	UL E66716
Surface Finishing	Tin Plated

### Certificates and Declarations

Data Sheet, Technical Information	RC10-250A
-----------------------------------	-----------

### Classifications

ETIM 6	EC000516 - Round or flat plug/receptacle
ETIM 7	EC000516 - Round or flat plug/receptacle
ETIM 8	EC000516 - Round or flat plug/receptacle
UNSPSC	39121447
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4667 >> Wire terminal disconnect

### Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

